INT. J. PROD. RES., 2003, VOL. 41, NO. 18, 4559–4573

Taylor & Francis
Taylor & Francis Group

INDEX OF AUTHORS (WITH TITLES)

PAGE

Aase, G. R., Schniederjans, M. J., and Olson, J. R.: U-OPT: an analysis of exact U-shaped line balancing procedures 4185
Abbas, A. T.: Enhanced CNC lathe capability by addition of a grinding spindle . . 2699
Abdi, M. R., and Labib, A. W.: A design strategy for reconfigurable manufacturing systems (RMSs) using analytical hierarchical process (AHP): a case study . . 2273
Abdullah, T. A., Popplewell, K., and Page, C. J.: A review of the support tools for the process of assembly method selection and assembly planning 2391
Afzal, M. T., see Meeran, S.
Akturk, M. S., see Erhun, F.
Akturk, M. S., see Turkcan, A.
Allada, V., see Rai, R.
Allahverdi, A., see Yigit, A. S.
Amico, M., see Bruccoleri, M.
Anglani, A., see Grieco, A.
Aparisi, F., and Haro, C. L.: A comparison of T^2 control charts with variable sampling schemes as opposed to MEWMA chart 2169
Arizono, I., see Kobayashi, J.
Arizono, I., see Takemoto, Y.
Assad, A. A., Kramer, S. B., and Kaku, B. K.: Comparing functional and cellular layouts: a simulation study based on standardization 1639
Aytug, H., Barua, A., Lawley, M., and Uzsoy, R.: Observations on the interactions among deadlock avoidance policies and dispatching rules in automated manufacturing systems 81
Aytug, H., Kempf, K., and Uzsoy, R.: Measures of subproblem criticality in decomposition algorithms for shop scheduling 865
Aytug, H., Khouja, M., and Vergara, F. E.: Use of genetic algorithms to solve production and operations management problems: a review 3955
Azizoglu, M., and Webster, S.: Scheduling parallel machines to minimize weighted flowtime with family set-up times 1199

Bai, H., and Kwong, C. K.: Inexact genetic algorithm approach to target values setting of engineering requirements in QFD 3861
Baksh, M. S. N., see Hassan, A.
Bang, Y.-B., see Lee, W.
Barad, M., see Gien, D.
Barua, A. K., see Mukhopadhyay, S. K.
Barua, A., see Aytug, H.
Battain, F., see Nassimbeni, G.
Baykasoğlu, A.: Capability-based distributed layout approach for virtual manufacturing cells 2597
Beg, J., and Shunmugam, M. S.: Application of fuzzy logic in the selection of part orientation and probe orientation sequencing for prismatic parts 2799
Ben-Arieh, D., Gutin, G., Penn, M., Yeo, A., and Zverovitch, A.: Process planning for rotational parts using the generalized travelling salesman problem 2581
Ben-Daya, M., and Hariga, M.: Lead-time reduction in a stochastic inventory system with learning consideration 571
Ben-Daya, M., and Rahim, A.: Optimal lot-sizing, quality improvement and inspection errors for multistage production systems 65
Benasser, A., see Korbaa, O.
Besant, C. B., see Xu, H. Q.
Bhattacharyya, B., see Deb, S. K.

Bloemhof-Ruwaard, J., see Krikke, H.
Blumenfeld, D. E., see Inman, R. R.
Bodhale, R., see Huang, S. H.
Bolat, A.: A mathematical model for selecting mixed models with due dates . . . 897
Borror, C. M., Keats, J. B., and Montgomery, D. C.: Robustness of the time between events CUSUM 3435
Bovea, M. D., and Wang, B.: Identifying environmental improvement options by combining life cycle assessment and fuzzy set theory 593
Braglia, M., and Zavanella, L.: Modelling an industrial strategy for inventory management in supply chains: the 'Consignment Stock' case 3793
Braglia, M., Zanoni, S., and Zavanella, L.: Layout design in dynamic environments: strategies and quantitative indices. 995
Bruccoleri, M., Amico, M., and Perrone, G.: Distributed intelligent control of exceptions in reconfigurable manufacturing systems 1393
Burns, N., see Yang, B.

Cai, Y., Xi, G., and Wang, S.: Efficient tool path planning for five-axis surface machining with a drum-taper cutter 3631
Canciglieri, O. J., and Young, R. I. M.: Information sharing in multiviewpoint injection moulding design and manufacturing 1565
Cao, D., and Chen, M.: Parallel flowshop scheduling using Tabu search 3059
Cariapa, V., see Domblesky, J.
Castillo, I., and Peters, B. A.: An extended distance-based facility layout problem . 2451
Cha, Y., and Jung, M.: Satisfaction assessment of multi-objective schedules using neural fuzzy methodology 1831
Chan, F. T. S.: Interactive selection model for supplier selection process: an analytical hierarchy process approach 3549
Chan, L. Y., see Yeung, A. C. L.
Chang, K.-H., see Chien, C.-F.
Chang, P.-L., see Huang, M.-G.
Chang, S.-H., see Yuan, K.-J.
Chang, T.-C., see Hong, Y. S.
Chaudhari, C. V., and Mukhopadhyay, S. K.: Application of Theory of Constraints in an integrated poultry industry 799
Chen, C.-P., see Chien, C.-F.
Chen, F. F., see Chen, J.
Chen, H.-Y. S., see Lin, C.-W. R.
Chen, J., and Chen, F. F.: Adaptive scheduling in random flexible manufacturing systems subject to machine breakdowns. 1927
Chen, J.-F., see Wu, T.-H.
Chen, K.-Y., see Chen, M.-C.
Chen, K.-Z., Feng, X.-A., and Zhang, B.-B.: Development of computer-aided quotation system for manufacturing enterprises using axiomatic design 171
Chen, L.-S., see Li, D.-C.
Chen, M., see Cao, D.
Chen, M.-C., and Chen, K.-Y.: Optimization of multipass turning operations with genetic algorithms: a note 3385
Chen, M.-C.: Configuration of cellular manufacturing systems using association rule induction 381
Chen, M.-J., see Shiou, F.-J.
Chen, Y.-K., and Liao, H.-C.: An investigation on selection of simplified aggregate production planning strategies using MADM approaches. 3359
Cheng, K., see Luo, X.
Cheng, S.-S., see Yu, F.-J.
Chien, C.-F., Chang, K.-H., and Chen, C.-P.: Design of a sampling strategy for measuring and compensating for overlay errors in semiconductor manufacturing 2547
Childe, S. J., see Gingele, J.

Chiu, H. N., and Huang, H. L.: A multi-echelon integrated JIT inventory model using the time buffer and emergency borrowing policies to deal with random delivery lead times 2911
Cho, H., see Jang, P. Y.
Choi, S.-K., see Kim, Y.-D.
Chou, Y.-C., see Huang, M.-G.
Chua, P. S. K., see Jiang, M. H.
Chua, P. S. K., see Sim, S. K.
Chung, S. H., Pearn, W. L., Lee, A. H. I., and Ke, W. T.: Job order releasing and throughput planning for multi-priority orders in wafer fabs 1765
Cochran, J. K., see Uribe, A. M.
Cook, D., see Harding, J. A.
Cormier, D., see Zozom Jr, A.
Cox III, J. F., see Kim, S.
Craighead, C. W., and Laforge, R. L.: Taxonomy of information technology adoption patterns in manufacturing firms 2431
Crespo Marquez, A., Gupta, J. N. D., and Heguedas, A. S.: Maintenance policies for a production system with constrained production rate and buffer capacity . . . 1909
Cuesta, E., see Rico, J. C.
Curry, G. L., Peters, B. A., and Lee, M.: Queueing network model for a class of material-handling systems 3901

da Silveira, G. J. C., see Fogliatto, F. S.
Dabbas, R. M., Fowler, J. W., Rollier, D. A., and McCarville, D.: Multiple response optimization using mixture-designed experiments and desirability functions in semiconductor scheduling 939
Dai, J., see Xu, H.-Y.
Dallery, Y., see Liberopoulos, G.
Das, A., and Jayaram, J.: Relative importance of contingency variables for advanced manufacturing technology 4429
Davies, J., see Mabin, V. J.
Davis, K. R., see Kim, S.
Deb, S. K., and Bhattacharyya, B.: Facilities layout planning based on Fuzzy multiple criteria decision-making methodology 4487
Del Brío, J. Á., and Junquera, B.: Influence of the perception of the external environmental pressures on obtaining the ISO 14001 standard in Spanish industrial companies 337
Del Castillo, E., see Pan, R.
Derks, W., Weston, R., West, A., Harrison, R., and Shorter, D.: Role of workflow management systems in product engineering 3393
Dismukes, J. P., see Huang, S. H.
Domblesky, J., Cariapa, V., and Evans, R.: Investigation of vibratory bowl finishing 3943
Droge, C. L., see Talluri, S.
Duffuaa, S. O., and Siddiqui, A. W.: Process targeting with multi-class screening and measurement error.. 1373
Dunker, T., Radons, G., and Westkämper, E.: A coevolutionary algorithm for a facility layout problem 3479

Ebrahimpour, M., see Sila, I.
Egbelu, P. J., see Ko, K.-C.
Egbelu, P. J., see Ko, K.-C.
Eldemir, F., Graves, R. J., and Malmborg, C. J.: A comparison of alternative conceptualizing tools for automated storage and retrieval systems 4517
Erhun, F., Akturk, M. S., and Turkcan, A.: Interaction of design and operational parameters in periodic review kanban systems 3315
Evans, R., see Domblesky, J.

Faraj, I.: Manufacturing features: verification interaction accessibility and machinability. 2249
Feng, X.-A., see Chen, K.-Z.
Finch, P. R., see Ghrayeb, O. A.
Fogliatto, F. S., da Silveira, G. J. C., and Royer, R.: Flexibility-driven index for measuring mass customization feasibility on industrialized products 1811
Fowler, J. W., see Dabbas, R. M.
Framinan, J. M., Leisten, R., and Rajendran, C.: Different initial sequences for the heuristic of Nawaz, Enscore and Ham to minimize makespan, idletime or flowtime in the static permutation flowshop sequencing problem 121
Franceschini, F., and Galetto, M.: Composition laws for learning curves of industrial manufacturing processes. 1431
Fuh, J. Y. H., see Zhang, Y. F.
Fujimi, Y., see Yoshimura, M.
Fukuda, Y., see Jain, P. K.
Fukuma, T., see Jain, P. K.
Fung, R. Y. K., see Xie, S. Q.
Galetto, M., see Franceschini, F.
Gasparini, F. F., and Qassim, R. Y.: A mixed integer linear programming model for set-up reduction superstructures 1087

Gershenson, J. K., see Pavnaskar, S. J.
Ghrayeb, O. A., Phojanamongkolkij, N., and Finch, P. R.: A mathematical model and heuristic procedure to schedule printed circuit packs on sequencers 3849
Gien, D., Jacqmart, S., Seklouli, A., and Barad, M.: An approach based on fuzzy sets for manufacturing system design 315
Gingele, J., Childe, S. J., and Miles, M. E.: Incorporating links to ISO 9001 into manufacturing process models using $IDEF_{9000}$ 3091
Girish, T., Ong, S. K., and Nee, A. Y. C.: Managing modular fixture elements with Tabu Search in a Web-based environment 1665
Gong, Q., see Xiaobo, Z.
González, F., and Rosado, P.: General and flexible methodology and architecture for CAPP: GF-CAPP system 2643
González, J. M., see Rico, J. C.
Goyal, S. K.: A note on: On controlling the controllable lead time component in the integrated inventory models 2873
Graves, R. J., see Eldemir, F.
Graves, R. J., see Kim, B.-I.
Graves, R. J., see Kim, B.-I.
Grieco, A., Guerriero, E., Musmanno, R., Tolio, T., and Anglani, A.: Scheduling in dial-indexed production lines 3139
Grigoryan, A., see He, D.
Gronalt, M., and Hartl, R. F.: Workforce planning and allocation for mid-volume truck manufacturing: a case study. 449
Grunow, M., Günther, H. O., and Schleusener, M.: Component allocation for printed circuit board assembly using modular placement machines 1311
Guerriero, E., see Grieco, A.
Guo, X., see Luo, X.
Gupta, J. N. D., see Crespo Marquez, A.
Gutin, G., see Ben-Arieh, D.
Günther, H. O., see Grunow, M.

Hamblin, D. J., see Li, X.
Harding, J. A., Popplewell, K., and Cook, D.: Manufacturing system engineering moderator: an aid for multidiscipline project teams 1973
Hariga, M., see Ben-Daya, M.
Haro, C. L., see Aparisi, F.
Harrison, R., see Derks, W.

Hartl, R. F., see Gronalt, M.
Hassan, A., Baksh, M. S. N., Shaharoun, A. M., and Jamaluddin, H.: Improved SPC chart pattern recognition using statistical features 1587
He, D., and Grigoryan, A.: An improved double sampling *s* chart 2663
Heguedas, A. S., see Crespo Marquez, A.
Heragu, S. S., see Kim, B.-I.
Heragu, S. S., see Kim, B.-I.
Hodgson, T. J., see Taner, M. R.
Hodgson, T. J., see Zozom Jr, A.
Holt, R., see Luo, X.
Hong, J., and Prabhu, V. V.: Modelling and performance of distributed algorithm for scheduling dissimilar machines with set-up 4357
Hong, Y. S., and Chang, T.-C.: Tolerancing algebra: a building block for handling tolerance interactions in design and manufacturing. Part 2: Tolerance interaction 47
Hopkinson, N., see Majewski, C.
Hosack, B., Mahmoodi, F., and Mosier, C. T.: A comparison of deadlock avoidance policies in flexible manufacturing systems 2991
Hou, T. C., see Wang, K.-J.
Huang, C.-T., see Lai, H.-Y.
Huang, C.-Y., and Wu, Y.-W.: Decision model for partnership development in virtual enterprises. 1855
Huang, G. Q., Lau, J. S. K., and Mak, K. L.: The impacts of sharing production information on supply chain dynamics: a review of the literature 1483
Huang, H. L., see Chiu, H. N.
Huang, J. T., and Liao, Y. S.: Optimization of machining parameters of Wire-EDM based on Grey relational and statistical analyses 1707
Huang, M.-G., Chang, P.-L., and Chou, Y.-C.: Fast algorithm for evaluating the similarity of manufacturing processes within a dynamic production environment 4171
Huang, N., see Inman, R. R.
Huang, S. H., and Xu, N.: Automatic set-up planning for metal cutting: an integrated methodology 4339
Huang, S. H., Dismukes, J. P., Shi, J., Su, Q., Razzak, M. A., Bodhale, R., and Robinson, D. E.: Manufacturing productivity improvement using effectiveness metrics and simulation analysis 513
Hui, I. K., Li, C. P., and Lau, H. C. W.: Hierarchical environmental impact evaluation of a process in printed circuit board manufacturing 1149
Huisman, C. B. Boks, J., and Stevels, A. L. N.: Quotes for environmentally weighted recyclability (QWERTY): concept of describing product recyclability in terms of environmental value 3649
Hwang, I.-K., see Kim, Y. S.
Hwang, N.-C. R., and Kogan, K.: Dynamic approach to human resources planning for major professional companies with a peak-wise demand 1255

Inman, R. A., see Sale, M. L.
Inman, R. R., and Schmeling, D. M.: Algorithm for agile assembling-to-order in the automotive industry 3831
Inman, R. R., Blumenfeld, D. E., Huang, N., and Li, J.: Designing production systems for quality: research opportunities from an automotive industry perspective . 1953
Inman, R. R.: ASRS sizing for recreating automotive assembly sequences 847
Islier, A. A., see Ozcelik, F.
Izui, K., see Yoshimura, M.

Jacqmart, S., see Gien, D.
Jain, P. K., Fukuda, Y., Yamamoto, M., and Fukuma, T.: Manufacturing system development framework using a data models driven approach 1785
Jain, P. K., see Singh, P. K.
Jain, S. C., see Singh, P. K.

Jain, V., Swarnkar, R., and Tiwari, M. K.: Modelling and analysis of wafer fabrication scheduling via generalized stochastic Petri net and simulated annealing . . . 3501
Jamaluddin, H., see Hassan, A.
Jambekar, A. B., see Pavnaskar, S. J.
Jang, K.-Y., Yang, K., and Kang, C.: Application of artificial neural network to identify non-random variation patterns on the run chart in automotive assembly process . . . 1239
Jang, P. Y., Son, Y. J., and Cho, H.: Elaboration and validation of AND/OR graph-based non-linear process plans for shop floor control . . . 3019
Jang, W.: A new inspection sampling plan under capacity constraints and multiple shifts . . . 1333
Jayabalan, V., see Kannan, S. M.
Jayaram, J., see Das, A.
Jeang, A.: Robust computer-aided parameter and tolerance determination for an electronic circuit design . . . 883
Jeevanantham, K., see Kannan, S. M.
Jeong, I.-J., and Leon, V. J.: Distributed allocation of the capacity of a single-facility using cooperative interaction via coupling agents . . . 15
Jiang, M. H., Chua, P. S. K., and Tan, F. L.: Simulation software for parts feeding in a vibratory bowl feeder . . . 2037
Jianguo, C., see Yonglin, C.
Joshi, S. B., see Smith, J. S.
Jun, Y., see Youn, J.-W.
Jung, M., see Cha, Y.
Jung, M., see Lee, S.
Jung, M., see Ryu, K.
Junquera, B., see Del Brío, J. Á.

Kaku, B. K., see Assad, A. A.
Kang, C., see Jang, K.-Y.
Kannan, S. M., Jayabalan, V., and Jeevanantham, K.: Genetic algorithm for minimizing assembly variation in selective assembly . . . 3301
Kaspi, M., and Shabtay, D.: Optimization of the machining economics problem for a multistage transfer machine under failure, opportunistic and integrated replacement strategies . . . 2229
Kaspi, M., see Shabtay, D.
Kaynak, H., and Pagán, J. A.: Just-in-time purchasing and technical efficiency in the US manufacturing sector . . . 1
Ke, W. T., see Chung, S. H.
Keats, J. B., see Borror, C. M.
Kempf, K., see Aytug, H.
Khoo, L. P., and Situmdrang, T. D.: Solving the assembly configuration problem for modular products using an immune algorithm approach . . . 3419
Khouja, M., see Aytug, H.
Khouja, M.: The impact of quality considerations on material flow in two-stage inventory systems . . . 1533
Kim, B.-I., Heragu, S. S., Graves, R. J., and St. Onge, A.: Clustering-based order-picking sequence algorithm for an automated warehouse . . . 3445
Kim, B.-I., Heragu, S. S., Graves, R. J., and St. Onge, A.: Realization of a short cycle time in warehouse replenishment and order picking . . . 349
Kim, D., and Rhee, S.: Optimization of GMA welding process using the dual response approach . . . 4505
Kim, S., Davis, K. R., and Cox III, J. F.: Investigation of flow mechanisms in semiconductor wafer fabrication . . . 681
Kim, Y. S., Wang, E., Hwang, I.-K., and Rho, H. M.: Integrated machining tool path planning using feature free spaces . . . 3237

Kim, Y.-D., Lee, G.-C., Lim, S.-K., and Choi, S.-K.: Tool requirements planning in a flexible manufacturing system: minimizing tool costs subject to a makespan constraint 3339
King, R. E., see Taner, M. R.
King, R. E., see Zozom Jr, A.
Kizilisik, O. B., see Sabuncuoglu, I.
Ko, K.-C., and Egbelu, P. J.: Unidirectional AGV guidepath network design: a heuristic algorithm 2325
Ko, K.-C., and Egbelu, P. J.: Virtual cell formation 2365
Kobayashi, J., Arizono, I., and Takemoto, Y.: Economical operation of $(\bar{x}, s)$ control chart indexed by Taguchi's loss function 1115
Kogan, K., see Hwang, N.-C. R.
Korbaa, O., Benasser, A., and Yim, P.: Two FMS scheduling methods based on Petri nets: a global and a local approach 1349
Korte, G. J., see Riezebos, J.
Kramer, S. B., see Assad, A. A.
Kremer, R., see Shen, W.
Krikke, H., Bloemhof-Ruwaard, J., and Van Wassenhove, L. N.: Concurrent product and closed-loop supply chain design with an application to refrigerators. . . 3689
Kumar, R., see Kumar, S.
Kumar, S., Kumar, R., Shankar, R., and Tiwari, M. K.: Expert Enhanced Coloured Stochastic Petri Net and its application in assembly/disassembly 2727
Kumar, S., Shanker, K., and Lal, G. K.: A generative process planning system for cold extrusion 269
Kuula, M., see Porkka, P.
Kwak, C., and Yih, Y.: Statistical analysis of factors influencing the performance of the timeout-based testing model 1033
Kwong, C. K., see Bai, H.

Labib, A. W., see Abdi, M. R.
Laforge, R. L., see Craighead, C. W.
Lai, H.-Y., and Huang, C.-T.: Integrated assembly plan generation system for grouped product families 4041
Lal, G. K., see Kumar, S.
Lambert, A. J. D.: Disassembly sequencing: a survey 3721
Land, M. J., see Riezebos, J.
Lara, M. A., and Nof, S. Y.: Computer-supported conflict resolution for collaborative facility designers. 207
Lau, H. C. W., see Hui, I. K.
Lau, J. S. K., see Huang, G. Q.
Law, J. S., see Yeung, J. H. Y.
Lawley, M., see Aytug, H.
Lea, B.-R., and Min, H.: Selection of management accounting systems in Just-In-Time and Theory of Constraints-based manufacturing 2879
Lee, A. H. I., see Chung, S. H.
Lee, G.-C., see Kim, Y.-D.
Lee, K. H., see Son, S.
Lee, K. S., see Low, M. L. H.
Lee, M., see Curry, G. L.
Lee, S. H., and Lee, S.-H.: Optimisation of cutting parameters for burr minimization in face-milling operations 497
Lee, S. M., Rho, B.-H., and Lee, S.-G.: Impact of Malcolm Baldrige National Quality Award Criteria on organizational quality performance 2003
Lee, S., and Jung, M.: Timing constraints' optimization of reserved tasks in the distributed shop-floor scheduling 397
Lee, S.-G., see Lee, S. M.
Lee, S.-H., see Lee, S. H.
Lee, T. S., see Yeung, A. C. L.

Lee, W., and Bang, Y.-B.: Design and implementation of an ISO14649-compliant CNC milling machine 3007
Leisten, R., see Framinan, J. M.
Leon, V. J., see Jeong, I.-J.
Li, C. L.: Automatic parting surface determination for plastic injection mould . . . 3529
Li, C. P., see Hui, I. K.
Li, D.-C., Chen, L.-S., and Lin, Y.-S.: Using Functional Virtual Population as assistance to learn scheduling knowledge in dynamic manufacturing environments 4011
Li, J., see Inman, R. R.
Li, J.-W.: Simulation-based comparison of push and pull systems in a job-shop environment considering the context of JIT implementation 427
Li, R.-K., see Yuan, K.-J.
Li, W. D., Ong, S. K., and Nee, A. Y. C.: A hybrid method for recognizing interacting machining features 1887
Li, X., and Hamblin, D. J.: The impact of performance and practice factors on UK manufacturing companies' survival 963
Liao, H.-C., see Chen, Y.-K.
Liao, Y. S., see Huang, J. T.
Liberopoulos, G., and Dallery, Y.: Comparative modelling of multi-stage production-inventory control policies with lot sizing 1273
Lim, S.-K., see Kim, Y.-D.
Lin, C.-W. R., and Chen, H.-Y. S.: Dynamic allocation of uncertain supply for the perishable commodity supply chain 3119
Lin, J. T., Wang, F. K., and Wu, C. K.: Connecting transport AMHS in a wafer fab 529
Lin, Y.-S., see Li, D.-C.
Lova, A., see Tormos, P.
Low, C., see Wu, T.-H.
Low, C.-Y., see Yu, F.-J.
Low, M. L. H., and Lee, K. S.: Application of standardization for initial design of plastic injection moulds. 2301
Lowe, C., see Tedford, J. D.
Luo, X., Cheng, K., Guo, X., and Holt, R.: An investigation on the mechanics of nanometric cutting and the development of its test-bed 1449

Ma, L., see Yeung, J. H. Y.
Mabin, V. J., and Davies, J.: Framework for understanding the complementary nature of TOC frames: insights from the product mix dilemma 661
Mahmoodi, F., see Hosack, B.
Majewski, C., and Hopkinson, N.: Effect of tool finishing on ejection forces for injection moulded parts made using direct metal laser sintered tools 581
Mak, K. L., see Huang, G. Q.
Malmborg, C. J., see Eldemir, F.
Malmborg, C. J.: Interleaving dynamics in autonomous vehicle storage and retrieval systems. 1057
Martin, R. L., and White, C.: Finite capacity scheduling using a predetermined placement sequence 2851
Mason, S. J., and Oey, K.: Scheduling complex job shops using disjunctive graphs: a cycle elimination procedure 981
Mateos, S., see Rico, J. C.
Matsui, M., and Nakada, Y.: Strategic management/design approach to a job-shop production system 3257
McCarville, D., see Dabbas, R. M.
McKay, K. N.: Historical survey of manufacturing control practices from a production research perspective 411
McMullen, P. R.: Sequencing for minimal tooling replacements via a variety of objective functions.. 2183

Meeran, S., Taib, J. M., and Afzal, M. T.: Recognizing features from engineering drawings without using hidden lines: a framework to link feature recognition and inspection systems 465
Merino-Díaz De Cerio, J.: Quality management practices and operational performance: empirical evidence for Spanish industry 2763
Miles, M. E., see Gingele, J.
Min, H., see Lea, B.-R.
Min, H.-S., and Yih, Y.: Development of a real-time multi-objective scheduler for a semiconductor fabrication system 2345
Min, H.-S., and Yih, Y.: Selection of dispatching rules on multiple dispatching decision points in real-time scheduling of a semiconductor wafer fabrication system 3921
Mondal, S., and Tiwari, M. K.: Formulation of mobile agents for integration of supply chain using the KLAIM concept 97
Montgomery, D. C., see Borror, C. M.
Montgomery, D. C., see Skinner, K. R.
Morikuni, T., see Okumura, S.
Mosier, C. T., see Hosack, B.
Mukhopadhyay, S. K., and Barua, A. K.: Supply chain cell activities for a consumer goods company 297
Mukhopadhyay, S. K., see Chaudhari, C. V.
Mukhopadhyay, S. K., see Singh, A. K.
Musmanno, R., see Grieco, A.

Nakada, Y., see Matsui, M.
Narendran, T. T., see Reddy, V.
Nassimbeni, G., and Battain, F.: Evaluation of supplier contribution to product development: fuzzy and neuro-fuzzy based approaches. 2933
Neammanee, P., and Randhawa, S. U.: Integrated methodology for board assignment and component allocation in printed circuit board assembly 919
Nee, A. Y. C., see Girish, T.
Nee, A. Y. C., see Li, W. D.
Niemi, E.: Part allocation to nesting layouts under variable demand 1549
Nof, S. Y., see Lara, M. A.
Norman, B. A., see Ozdemir, G.
Norrie, D., see Shen, W.

Oey, K., see Mason, S. J.
Okino, N., see Okumura, S.
Okumura, S., Morikuni, T., and Okino, N.: Environmental effects of physical life span of a reusable unit following functional and physical failures in a remanufacturing system. 3667
Olson, J. R., see Aase, G. R.
Ong, S. K., see Girish, T.
Ong, S. K., see Li, W. D.
Ozcelik, F., and Islier, A. A.: Novel approach to multi-channel manufacturing system design 2711
Ozdemir, G., Smith, A. E., and Norman, B. A.: Incorporating heterogeneous distance metrics within block layout design 1045

Pagán, J. A., see Kaynak, H.
Page, C. J., see Abdullah, T. A.
Pan, R., and Del Castillo, E.: Scheduling methods for the statistical setup adjustment problem 1467
Park, H., see Son, S.
Park, S., and Suresh, N. C.: Performance of Fuzzy ART neural network and hierarchical clustering for part–machine grouping based on operation sequences 3185
Park, S., see Youn, J.-W.

Pass, S., and Ronen, B.: Management by the market constraint in the Hi-Tech industry 713
Pavnaskar, S. J., Gershenson, J. K., and Jambekar, A. B.: Classification scheme for lean manufacturing tools 3075
Pearn, W. L., and Shu, M.-H.: Lower confidence bounds with sample size information for C_{pm} applied to production yield assurance 3581
Pearn, W. L., see Chung, S. H.
Peng, S., and Zhou, M.: Sensor-based stage Petri net modelling of PLC logic programs for discrete-event control design 629
Penn, M., see Ben-Arieh, D.
Perrone, G., see Bruccoleri, M.
Peters, B. A., see Castillo, I.
Peters, B. A., see Curry, G. L.
Phojanamongkolkij, N., see Ghrayeb, O. A.
Pinilla, J. M., and Prinz, F. B.: Lead-time reduction through flexible routing: application to Shape Deposition Manufacturing 2957
Polito, T., see Watson, K.
Popplewell, K., see Abdullah, T. A.
Popplewell, K., see Harding, J. A.
Porkka, P., Versäläinen, A. P. J., and Kuula, M.: Multiperiod production planning carrying over set-up time 1133
Prabhu, V. V., see Hong, J.
Pretorius, P., see Smith, M.
Prinz, F. B., see Pinilla, J. M.

Qassim, R. Y., see Gasparini, F. F.
Qiao, H.: Two- and three-dimensional part orientation by sensor-less grasping and pushing actions: use of the concept of 'attractive region in environment'. . . 3159
Qiu, R. G., see Smith, J. S.
Qiu, R., Wysk, R., and Xu, Q.: Extended structured adaptive supervisory control model of shop floor controls for an e-Manufacturing system 1605

Rabinowitz, G., see Weitzman, R.
Radons, G., see Dunker, T.
Rahim, A., see Ben-Daya, M.
Rai, R., and Allada, V.: Modular product family design: agent-based Pareto-optimization and quality loss function-based post-optimal analysis 4075
Rajendran, C., see Framinan, J. M.
Rajendran, C., see Thiagarajan, S.
Randhawa, S. U., see Neammanee, P.
Razzak, M. A., see Huang, S. H.
Reddy, V., and Narendran, T. T.: Heuristics for scheduling sequence-dependent set-up jobs in flow line cells 193
Reid, R. A., see Scoggin, J. M.
Rhee, S., see Kim, D.
Rho, B.-H., see Lee, S. M.
Rho, H. M., see Kim, Y. S.
Rico, J. C., González, J. M., Mateos, S., Cuesta, E., and Valiño, G.: Automatic determination of bending sequences for sheet metal parts with parallel bends 3273
Riezebos, J., Korte, G. J., and Land, M. J.: Improving a practical DBR buffering approach using Workload Control 699
Ristic, M., see Xu, H. Q.
Robinson, D. E., see Huang, S. H.
Rollier, D. A., see Dabbas, R. M.
Ronen, B., see Pass, S.
Rosado, P., see González, F.
Royer, R., see Fogliatto, F. S.
Ruben, R., see Yang, K.-K.
Runger, G. C., see Skinner, K. R.

Ryu, K., and Jung, M.: Agent-based fractal architecture and modelling for developing distributed manufacturing systems 4233

Sabuncuoglu, I., and Kizilisik, O. B.: Reactive scheduling in a dynamic and stochastic FMS environment 4211
Saglam, H., and Unuvar, A.: Tool condition monitoring in milling based on cutting forces by a neural network 1519
Sale, M. L., and Inman, R. A.: Survey-based comparison of performance and change in performance of firms using traditional manufacturing, JIT and TOC . . . 829
Salvendy, G., see Xie, Y.
Saravanan, A. N., see Zhang, Y. F.
Sarker, B. R., see Sodhi, M. S.
Schleusener, M., see Grunow, M.
Schmeling, D. M., see Inman, R. R.
Schniederjans, M. J., see Aase, G. R.
Scoggin, J. M., Segelhorst, R. J., and Reid, R. A.: Applying the TOC thinking process in manufacturing: a case study 767
Segelhorst, R. J., see Scoggin, J. M.
Seklouli, A., see Gien, D.
Shabtay, D., and Kaspi, M.: The efficiency range of economical cutting conditions and tool replacement under the age replacement strategy 2563
Shabtay, D., see Kaspi, M.
Shaharoun, A. M., see Hassan, A.
Shankar, R., see Kumar, S.
Shanker, K., see Kumar, S.
Shen, W., Kremer, R., Ulieru, M., and Norrie, D.: A collaborative agent-based infrastructure for Internet-enabled collaborative enterprises 1621
Shi, D., and Tsung, F.: Modelling and diagnosis of feedback-controlled processes using dynamic PCA and neural networks 365
Shi, J., see Huang, S. H.
Shiou, F.-J., and Chen, M.-J.: Intermittent process hybrid measurement system on the machining centre 4403
Shiue, Y.-R., see Su, C.-T.
Shorter, D., see Derks, W.
Shouwei, J., see Zhongwei, Y.
Shouwei, J., see Zhongwei, Y.
Shu, M.-H., see Pearn, W. L.
Shunk, D. L., see Uribe, A. M.
Shunmugam, M. S., see Beg, J.
Siddiqui, A. W., see Duffuaa, S. O.
Sila, I., and Ebrahimpour, M.: Examination and comparison of the critical factors of total quality management (TQM) across countries 235
Sim, S. K., Chua, P. S. K., Tay, M. L., and Yun, G.: Incorporating pattern recognition capability in a flexible vibratory bowl feeder using a neural network 1217
Singh, A. K., Tiwari, M. K., and Mukhopadhyay, S. K.: Modelling and planning of the disassembly processes using an enhanced expert Petri net 3761
Singh, P. K., Jain, P. K., and Jain, S. C.: Simultaneous optimal selection of design and manufacturing tolerances with different stack-up conditions using genetic algorithms 2411
Situmdrang, T. D., see Khoo, L. P.
Skinner, K. R., Montgomery, D. C., and Runger, G. C.: Process monitoring for multiple count data using generalized linear model-based control charts . . . 1167
Smith, A. E., see Ozdemir, G.
Smith, J. S., Joshi, S. B., and Qiu, R. G.: Message-based Part State Graphs (MPSG): a formal model for shop-floor control implementation 1739
Smith, M., and Pretorius, P.: Application of the TOC thinking processes to challenging assumptions of profit and cost centre performance measurement 819
Sodhi, M. S., and Sarker, B. R.: Configuring flexible flowlines 1689

Sofianopoulou, S., see Spiliopoulos, K.
Son, S., Park, H., and Lee, K. H.: Development of an optimal measuring device selection system using neural networks 4133
Son, Y. J., see Jang, P. Y.
Spiliopoulos, K., and Sofianopoulou, S.: Designing manufacturing cells: a staged approach and a tabu search algorithm 2531
Sprecher, A.: Dynamic search tree decomposition for balancing assembly lines by parallel search 1413
St. Onge, A., see Kim, B.-I.
St. Onge, A., see Kim, B.-I.
Stevels, A. L. N., see Huisman, C. B. Boks, J.
Storer, R. H., see Turkcan, A.
Su, C.-T., and Shiue, Y.-R.: Intelligent scheduling controller for shop floor control systems: a hybrid genetic algorithm/decision tree learning approach 2619
Su, Q., see Huang, S. H.
Sun, R., and Tsung, F.: A kernel-distance-based multivariate control chart using support vector methods 2975
Suresh, N. C., see Park, S.
Swarnkar, R., see Jain, V.

Taib, J. M., see Meeran, S.
Takahashi, K.: Comparing reactive Kanban systems 4317
Takemoto, Y., see Kobayashi, J.
Takemoto, Y., Watakabe, K., and Arizono, I.: A study of cumulative sum $(\bar{x}, s)$ control charts 1873
Talluri, S., Vickery, S. K., and Droge, C. L.: Transmuting performance on manufacturing dimensions into business performance: an exploratory analysis of efficiency using DEA 2107
Tam, H.-Y., see Xu, H.-Y.
Tan, F. L., see Jiang, M. H.
Taner, M. R., Hodgson, T. J., King, R. E., and Thoney, K. A.: Satisfying due-dates in a job shop with sequence-dependent family set-ups 4153
Tang, P.-T., see Wu, T.-H.
Tannock, J. D. T.: A fuzzy control charting method for individuals 1017
Tay, M. L., see Sim, S. K.
Tedford, J. D., and Lowe, C.: Production scheduling using adaptable fuzzy logic with genetic algorithms 2681
Tempelmeier, H.: Practical considerations in the optimization of flow production systems. 149
Thiagarajan, S., and Rajendran, C.: Scheduling in dynamic assembly job-shops with jobs having different holding and tardiness costs. 4453
Thoney, K. A., see Taner, M. R.
Tien, F.-C., see Yeh, C.-H.
Tiwari, M. K., see Jain, V.
Tiwari, M. K., see Kumar, S.
Tiwari, M. K., see Mondal, S.
Tiwari, M. K., see Singh, A. K.
Tolio, T., see Grieco, A.
Tolouei-Rad, M.: An efficient algorithm for automatic machining sequence planning in milling operations 4115
Tormos, P., and Lova, A.: An efficient multi-pass heuristic for project scheduling with constrained resources 1071
Tsung, F., see Shi, D.
Tsung, F., see Sun, R.
Tu, Y. L., see Xie, S. Q.
Turkcan, A., Akturk, M. S., and Storer, R. H.: Non-identical parallel CNC machine scheduling. 2143
Turkcan, A., see Erhun, F.

Ulieru, M., see Shen, W.
Unuvar, A., see Saglam, H.
Uribe, A. M., Cochran, J. K., and Shunk, D. L.: Two-stage simulation optimization for agile manufacturing capacity planning 1181
Uzsoy, R., see Aytug, H.
Uzsoy, R., see Aytug, H.

Valiño, G., see Rico, J. C.
Van Hop, N.: Board sequencing and component loading problem for a single machine in PCB assembly planning 4299
Van Wassenhove, L. N., see Krikke, H.
Vaughan, T. S.: The effect of correlated demand on the cyclical scheduling system 2091
Venkatesan, G.: Cost modelling for feedback control adjustment 4099
Vergara, F. E., see Aytug, H.
Versäläinen, A. P. J., see Porkka, P.
Vickery, S. K., see Talluri, S.

Wallace, A.: Sequential resource allocation utilizing agents 2481
Wang, B., see Bovea, M. D.
Wang, E., see Kim, Y. S.
Wang, F. K., see Lin, J. T.
Wang, J., see Xiaobo, Z.
Wang, K.-J., and Hou, T. C.: Modelling and resolving the joint problem of capacity expansion and allocation with multiple resources and a limited budget in the semiconductor testing industry 3217
Wang, S., see Cai, Y.
Watakabe, K., see Takemoto, Y.
Watson, K., and Polito, T.: Comparison of DRP and TOC financial performance within a multi-product, multi-echelon physical distribution environment . . . 741
Webster, S., see Azizoglu, M.
Webster, S., see Yang, K.-K.
Weintraub, A. J., see Zozom Jr, A.
Weitzman, R., and Rabinowitz, G.: Sensitivity of 'Push' and 'Pull' strategies to information updating rate 2057
West, A., see Derks, W.
Westkämper, E., see Dunker, T.
Weston, R., see Derks, W.
White, C., see Martin, R. L.
Wikner, J.: Continuous-time dynamic modelling of variable lead times 2787
Wu, C. K., see Lin, J. T.
Wu, F.-C., see Yeh, C.-H.
Wu, T.-H., Chen, J.-F., Low, C., and Tang, P.-T.: Nesting of two-dimensional parts in multiple plates using hybrid algorithm 3883
Wu, Y.-W., see Huang, C.-Y.
Wysk, R., see Qiu, R.

Xi, G., see Cai, Y.
Xiaobo, Z., Gong, Q., and Wang, J.: Generally configured supply chain with flexible local control strategies 2817
Xie, S. Q., Tu, Y. L., Fung, R. Y. K., and Zhou, Z. D.: Rapid one-of-a-kind product development via the Internet: a literature review of the state-of-the-art and a proposed platform 4257
Xie, Y., and Salvendy, G.: Agent-based features for CAD browsers to foster engineering collaboration over the Internet. 3809
Xu, H. Q., Besant, C. B., and Ristic, M.: System for enhancing supply chain agility through exception handling 1099

Xu, H.-Y., Dai, J., Tam, H.-Y., and Zhou, Y.: Angular feedrate interpolation for three-dimensional implicit curves 3461
Xu, N., see Huang, S. H.
Xu, Q., see Qiu, R.
Xue, D., see Yang, H.

Yamamoto, M., see Jain, P. K.
Yang, B., and Burns, N.: Implications of postponement for the supply chain . . . 2075
Yang, H., and Xue, D.: Recent research on developing Web-based manufacturing systems: a review 3601
Yang, K., see Jang, K.-Y.
Yang, K.-K., Webster, S., and Ruben, R.: Exploratory analysis of flexible workday policies in a job shop 1721
Yeh, C.-H., Tien, F.-C., and Wu, F.-C.: Boundary-based passive component inspection approach using eigenvalues of covariance matrices 4025
Yeo, A., see Ben-Arieh, D.
Yeung, A. C. L., Lee, T. S., and Chan, L. Y.: Senior management perspectives and ISO 9000 effectiveness: an empirical research 545
Yeung, J. H. Y., Ma, L., and Law, J. S.: The impact of using multiple freeze fences on costs on MRP systems 2201
Yigit, A. S., and Allahverdi, A.: Optimal selection of module instances for modular products in reconfigurable manufacturing systems 4063
Yih, Y., see Kwak, C.
Yih, Y., see Min, H.-S.
Yih, Y., see Min, H.-S.
Yim, P., see Korbaa, O.
Yonglin, C., Jianguo, C., and Zuyu, W.: Platform for an open architecture controller based on a general operation system with a hard real-time extension 2839
Yoon, J.-H.: Tool tip gouging avoidance and optimal tool positioning for 5-axis sculptured surface machining 2125
Yoshimura, M., Izui, K., and Fujimi, Y.: Optimizing the decision-making process for large-scale design problems according to criteria interrelationships. 1987
Youn, J.-W., Jun, Y., and Park, S.: Interference-free tool path generation in five-axis machining of a marine propeller 4383
Young, R. I. M., see Canciglieri, O. J.
Yu, F.-J., Low, C.-Y., and Cheng, S.-S.: Design for an SPRT control scheme based on linguistic data 1299
Yuan, K.-J., Chang, S.-H., and Li, R.-K.: Enhancement of Theory of Constraints replenishment using a novel generic buffer management procedure. 725
Yun, G., see Sim, S. K.
Yuping, Z., see Zhongwei, Y.
Yurdakul, M.: Measuring long-term performance of a manufacturing firm using the Analytic Network Process (ANP) approach 2501

Zanoni, S., see Braglia, M.
Zavanella, L., see Braglia, M.
Zavanella, L., see Braglia, M.
Zhang, B.-B., see Chen, K.-Z.
Zhang, Y. F., Saravanan, A. N., and Fuh, J. Y. H.: Integration of process planning and scheduling by exploring the flexibility of process planning 611
Zhongwei, Y., and Shouwei, J.: Automatic segmentation and approximation of digitized data for reverse engineering. 3045
Zhongwei, Y., Yuping, Z., and Shouwei, J.: A methodology of sculptured surface fitting from CMM measurement data 3375
Zhou, M., see Peng, S.
Zhou, Y., see Xu, H.-Y.
Zhou, Z. D., see Xie, S. Q.

Zozom Jr, A., Hodgson, T. J., King, R. E., Weintraub, A. J., and Cormier, D.: Integrated job release and shop-floor scheduling to minimize WIP and meet due-dates 31
Zuyu, W., see Yonglin, C.
Zverovitch, A., see Ben-Arieh, D.